

**From:** Ann DiDonato/R3/USEPA/US  
**Sent:** 2/8/2012 9:06:57 PM

**To:** "Kelley Chase" <Chase.Kelley@epamail.epa.gov>; "Richard Fetzer" <Fetzer.Richard@epamail.epa.gov>  
**CC:**  
**Subject:** Fw: 180-3644-1 - Validated Electronic Data for Dimock Residential Groundwater

----- Original Message -----

From: "Nance, Gene" [Gnance@TechLawInc.com]  
Sent: 02/08/2012 08:49 PM EST  
To: Richard Rupert; Ann DiDonato  
Cc: "Graves, Suddha" <Sgraves@TechLawInc.com>  
Subject: FW: 180-3644-1 - Validated Electronic Data for Dimock Residential Groundwater

More RP validation reports.

Gene Nance  
TechLaw, Inc.  
740.867.0968 (office)  
304.830.1442 (mobile)

-----Original Message-----

From: **Ex. 4 - CBI**  
Sent: Wednesday, February 08, 2012 5:19 PM  
To: Richard Fetzer  
Cc: **Ex. 4 - CBI** Nance, Gene  
Subject: 180-3644-1 - Validated Electronic Data for Dimock Residential Groundwater

Richard Fetzer  
US EPA Region 3  
1650 Arch Street  
Philadelphia, PA 19103-2029

Dear Richard,

Attached to this message you will find electronic files containing the validation report and validated organic data for the Dimock Residential Groundwater site, Case # 180-3644-1. The validation of this case was completed by the Region III Environmental Services Assistance Team (ESAT).

Please contact ESAT's RPO, Colleen Walling by phone at 410-305-2763 or e-mail at Walling.Colleen@epa.gov if additional assistance is needed.

TO # 0037 TDF # 02018A

(See attached file: 180-3644-1 02018A.PDF)(See attached file: Project\_180-3644-1ORG\_\_Validated\_DSf.XLS)

Sincerely,

**Ex. 4 - CBI**

Lockheed Martin IS&GS - Civil  
Energy & Environment  
ESAT Region 3  
701 Mapes Road  
Ft. Meade, MD 20755-5350

## **Ex. 4 - CBI**

- 180-3644-1 02018A.PDF

- Project\_180-3644-1ORG\_\_Validated\_DSF.XLS